

**2910 : Portable electric drum type pipe cleaner : VAL 35**



Manual cable feed and rewind Steel-core cable : very flexible, very strong. Variable speed control. Cable feed guide adjustment knob. Cable locking handle.  
Lightweight alloy drum. Supplied with Ø. 8 mm cable. 7,5 m long with boring gimlet.

MOTOR	PIPE Ø MM	MAX. REACH M	KG	REF
230 V / 275 W / 50 HZ, REVERSE SWITCH, 0 TO 400 RPM	30 – 75	15,00	11,300	291000

**2910 : Portable electric drum type pipe cleaner : VAL 35 E**



**Electric cable feed and rewind.** Steel-core cable : very flexible and very strong. Variable speed control. Cable feed guide adjustment knob. Cable locking handle. Manual clutch release for automatic cable feed. Lightweight alloy drum.

**Supplied with Ø. 8 mm cable 7,5 m long with down head boring gimlet.**

MOTOR	PIPE Ø MM	MAX. REACH M	KG	REF
230 V / 275 W / 50 HZ, REVERSE SWITCH, 0 TO 400 RPM	30 - 75	15,00	11,920	291001

2910 : Cable for VAL 35 and VAL 35E



Steel core. (supplied in a canister).

Ø MM	L M	TOOLS	USE	KG	REF
6,3	7,50	BORING GIMLET	BATH-TUBS AND SHOWERS	2,050	291011
6,3	15,00	BORING GIMLET	BATH-TUBS AND SHOWERS	3,870	291012
8	7,50	DOWN HEAD BORING GIMLET	BASINS, SINKS	2,660	291014
9,5	10,50	DOWN HEAD BORING GIMLET	ROOF DRAINS, TOILETS	4,380	291016

2912 : Electric drum type pipe cleaner : VAL 80



**Manual cable feed and rewind.** Steel-cored cable : very flexible, very strong. Removable metal drum. Opens for cleaning and lubrication. **Supplied with a par of gloves.**

MOTOR	CABLE Ø MM	PIPE Ø MM	MAX. REACH M	TOOLS	KG	REF
230V / 50 HZ / 250, WREVERSE SWITCH, 0 TO 165 RPM	9,50	30 - 100	22,50	BORING GIMLET, SMOOTH CUTTER Ø 38 MM, SERRATED BLADE Ø 50 MM, ARROW HEAD	36,000	291200

2912 : Electric drum type pipe cleaner : VAL 80 E



**Electric cable feed and rewind.** Steel-core cable : very flexible, very strong. Cable feed guide adjustment. Clutch release for automatic cable feed. Electric cable winder. Removable metal drum. Opens for cleaning and lubrication. Portable folding trolley.

Supplied with a pair of gloves.

MOTOR	CABLE Ø MM	PIPE Ø MM	MAX. REACH M	TOOLS	KG	REF
230V / 50 HZ / 250W, REVERSE SWITCH, 0 TO 165 RPM	9,50	30 - 100	22,50	BORING GIMLET, SMOOTH CUTTER Ø 38 MM, SERRATED BLADE Ø 50 MM, ARROW HEAD	48,200	291201

2912 : Cable for pipe cleaner VAL 80 - VAL 80 E

Ø MM	L M	KG	REF
9,5	22,5	10,500	291214
12,7	22,5	17,500	291216